	Search Text	DBs	
1	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and bandwidth and power and dsl and split\$5 and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
2	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and bandwidth and power and dsl and dmt and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
3	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and bandwidth and power and dsl and split\$5 and dmt and @ad<20010126	EPO; JPO;	
4	(error adj correct\$5) and dsl and dmt and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
5	bandwidth and power and dsl and split\$5 and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
6	(error adj correct\$5) and dsl and dmt and bin\$2 and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
7	(bin\$2 with (error adj correct\$5)) and dsl and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
8	(bin\$2 with (error adj correct\$5)) and dsl and dmt and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
9	(bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
10	("5400322" "5479447" "5533008" "5596604" "5790550" "5822374" "5852633" "5867528").PN.	USPAT	
11	("5515387" "5903602" "6038294" "6233275" "6345071" "6430219").PN.	USPAT	
12	6587502.URPN.	USPAT	
13	6587502.URPN.	USPAT	
14	6122247.URPN.	USPAT	
15	("4328581" "4833706" "5309503" "5400322" "5475864" "5479447" "5548819" "5596604" "5598435" "5603082").PN.	USPAT	
16	5852633.URPN.	USPAT	

/ ,

		()	
	Search Text	DBs	
17	5852633.URPN.	USPAT	
18	attenuation and noise and mask	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb	
19	attenua\$5 and (nois\$5 adj (power or level)) and (power adj mask) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; IBM_tdb	
20	(bisection adj split\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; IBM_tdb	
21	(bi?section adj split\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; IBM_tdb	
22	(section adj split\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; IBM_tdb	
23	(split\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb	
2 4	(allocat\$5 or assign\$5) with (power or energ\$5) with (bin\$2 or frequenc\$5) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; IBM_tdb	
25	(allocat§5 or assign§5) with (power or energ§5) with (bin§2 or frequenc§5) and (bin§2 with (error adj correct§5)) and @ad<20010126	uspat; us-pgpub; epo; Jpo; derwent; IBM_tdb	
26	(allocat\$5 or assign\$5 or splic\$5 or split\$5) with (power or energ\$5) with (bin\$2 or frequenc\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	uspat; us-pgpub; epo; Jpo; derwent; IBM_tdb	
27	(allocat\$5 or assign\$5 or splic\$5 or splic\$5 or split\$5) with (power or energ\$5) with (bin\$2 or frequenc\$5 or band\$5 or ton\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb	
28	(allocat§5 or assign§5 or splic§5 or split§5) same ((power or energ§5) with (bin§2 or frequenc§5 or band§5 or ton§5))and (bin§2 with (error adj correct§5)) and @ad<20010126	uspat; us-pgpub; Epo; Jpo; Derwent; IBM_tdb	

	()	()
	Search Text	DBs
29	(allocat§5 or assign§5 or splic§5 or split§5 or divid§5 or sectionaliz§5) same ((power or energ§5) with (bin§2 or frequenc§5 or band§5 or ton§5)) and (bin§2 with (error adj correct§5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb
30	(allocat§5 or assign§5 or splic§5 or split§5 or divid§5 or sectionaliz§5) same ((power or energ§5) with (bin§2 or frequenc§5 or band§5 or ton§5)) and (bin§2 with (error adj correct§5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; IBM_tdb
31	(allocat§5 or assign§5 or splic§5 or split§5 or divid§5 or sectionaliz§5) same (bin§2 or frequenc§5 or band§5 or ton§5)) and (bin§2 with (error adj correct§5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; IBM_tdb
32	(allocat§5 or assign§5 or splic§5 or split§5 or split§5 or divid§5 or sectionaliz§5) same (bin§2 same (power or energ§5) same (bin§2 or frequenc§5 or band§10 or ton§5)) and (bin§2 with (error adj correct§5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb
33	(allocat§5 or assign§5 or splic§5 or split§5 or divid§5 or sectionaliz§5) same ((power or energ§5) same (bin§2 or frequenc§5 or band§10 or ton§5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; IBM_tdb
34	frequenc\$5 or band\$10 or ton\$5)) and @ad<20010126	epo; jpo;
35	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or split\$5 or divid\$5 or sectionaliz\$5) same ((power or energ\$5) same (bin\$2 or frequenc\$5 or band\$10 or ton\$5)) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5)) or ton\$5) with (error adj correct\$5)) and @ad<20010126	uspat; us-pgpub; EPO; JPO; Derwent; IBM_tdb

	Search Text	DBs		
36	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) with ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$10 or ton\$5)) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB		
37	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) with ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$10 or ton\$5)) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	EPO; JPO; DERWENT; IBM_TDB		
38	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) with ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$10 or ton\$5)) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	USPAT		
39	((allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) near2 (bin\$2 or frequenc\$5 or band\$10 or ton\$5)) with ((power or energ\$5)) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	USPAT		
40	((assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) near2 (bin\$2 or frequenc\$5 or band\$10 or ton\$5)) with ((power or energ\$5)) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	USPAT		
41	("Re31253" "4087654" "4131766" "4247940" "4464545" "4682358" "4800573" "4924492" "5052000" "5285474" "5317596" "5400322" "5461640" "5479447" "5495483" "5574974" "5619505" "5649299" "5715277" "5732353" "5777544" "5784407" "5852633").PN.	USPAT		
42	(sequenti\$5 adj divid\$5 adj bandwidth\$5) and @ad<20010126	USPAT		
43	(sequenti\$5 adj divid\$5 adj bandwidth\$5) and @ad<20010126	USPAT		

		()
	Search Text	DBs
ৰ্থকা	((divid\$5 or separ\$5) adj bandwidth\$5) and @ad<20010126	USPAT
45	dmt and (hal\$5) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb
46	dmt and dsl and (hal\$5) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	dmt and dsl and (half or halves) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	dmt and dsl and ((half or halves) with (bin\$2 or frequenc\$5 or band\$5 or ton\$5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb
49	dmt and dsl and ((half or halves) with success§5) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb
50	dmt and dsl and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb
51	dmt and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	dmt and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	epo; Jpo; Derwent; IBM_tdb
53	dmt and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	USPAT
54	dmt and dsl and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	USPAT
55	dmt and (dsl or slic) and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	USPAT
56	dmt and (dsl or slic) and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	uspat; us-pgpub
57	dmt and (dsl or slic) and @ad<20010126	uspat; us-pgpub
58	dmt and (dsl or slic) and @ad<20010126	epo; jpo; Derwent; IBM_td8
59	dmt and (dsl or slic) and error and @ad<20010126	epo; jpo; Derwent; IBM_tdB
60	dmt and (dsl or slic) and error and @ad<20010126	USPAT

	Search Text	DBs	
61	dmt and (dsl or slic) and error and (divi\$5) and @ad<20010126	USPAT	
62	dmt and (dsl or slic) and (error with (divi\$5)) and @ad<20010126	USPAT	
63	dl89 not (dmt and (dsl or slic) and error and (divi\$5) and @ad<20010126)	USPAT	
64	(dmt and (dsl or slic) and error and @ad<20010126) not (dmt and (dsl or slic) and error and (divi\$5) and @ad<20010126)	USPAT	
65	("4679227" "5301052" "5361254" "5400322").PN.	USPAT	
66	5790550.URPN.	USPAT	
67	("5608725" "5625651" "5673290" "5790550" "5812786" "6160820" "6219377" "6226322" "6259746" "6307839" "6324184").PN.	USPAT	
68	5608725.URPN.	USPAT	
69	6501791.URPN.	USPAT	
70	("5608725" "5625651" "5673290" "5790550" "5812786" "6160820" "6219377" "6226322" "6259746" "6307839" "6324184").PN.	USPAT	

•

	Search Text	DBs
	("6285708"	
	"6418161"	
	"5822374"	
j	"5852633"	
	"6058162"	
	"6263048"	
	"6292559"	
	"6317495"	
	"6393052"	
	"6259746"	
	"6122247"	
	"6658051"	
	"6144696"	
	"6275522"	
	"6452907"	USPAT; US-PGPUB;
71	"6266348"	EPO; JPO;
	"6226331"	DERWENT; IBM_TDB
	"6226331"	
	"6240141"	
	"6516049"	
	"6646994"	
	"6268815"	
	"6487241"	
	"5012519"	
	"6351185"	
	"6324268"	
	"5930340"	
	"5889856"	
	"4963036"	
	"5822693"	
L		

.

	Search Text	DBs
72	("6285708" "6418161" "5822374" "5852633" "6058162" "6263048" "6292559" "6317495" "6393052" "6259746" "6122247" "6658051" "6144696" "6275522" "6452907" "6266348" "6226331" "6226331" "6240141" "6516049" "6646994" "6268815" "6487241" "5012519" "6351185" "6324268" "5930340" "5889856" "4963036"	USPAT
73	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and bandwidth and dsl and (power with (split\$5 or divi\$5 or hal\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and dsl and ((power\$2 or bandwidth\$2) with (split\$5 or divi\$5 or hal\$5)) and @ad<20010126	EPO; JPO;
75	dsl and ((power\$2 or bandwidth\$2) with (split\$5 or divi\$5 or hal\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
76	dsl and ((power\$2 or bandwidth\$2) with (((split\$5 or divi\$5) with ("2" or two)) or hal\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Search Text	DBs
77	with (((split\$5 or divi\$5) with ("2" or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
78	dsl and (((power\$2 or bandwidth\$2) with (((split\$5 or divi\$5) with ("2" or two))) or hal\$5)).ab. and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT: IBM TDB

•				· ()
		Hits	Search Text	DBs
	1	3	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and bandwidth and power and dsl and split\$5 and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; IBM_tdb
	2	2	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and bandwidth and power and dsl and dmt and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; IBM_tdb
	3	1	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and bandwidth and power and dsl and split\$5 and dmt and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; IBM_tdb
	4.	139	(error adj correct\$5) and dsl and dmt and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb
	5	351	bandwidth and power and dsl and split\$5 and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; IBM_tdb
	6	31	(error adj correct\$5) and dsl and dmt and bin\$2 and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb
	7	1.	(bin\$2 with (error adj correct\$5)) and dsl and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; IBM_tdb
	8	1	(bin\$2 with (error adj correct\$5)) and dsl and dmt and @ad<20010126	uspat; us-pgpub; epo; Jpo; derwent; IBM_tdb
	9	29	(bin\$2 with (error adj correct\$5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb
	10	8	("5400322" "5479447" "5533008" "5596604" "5790550" "5822374" "5852633" "5867528").PN.	USPAT
	11	6	("5515387" "5903602" "6038294" "6233275" "6345071" "6430219").PN.	USPAT
İ	12	2	6587502.URPN.	USPAT
	13	2	6587502.URPN.	USPAT
	14	7	6122247.URPN.	USPAT
į	_	10	("4328581" "4833706" "5309503" "5400322" "5475864" "5479447" "5548819" "5596604" "5598435" "5603082").PN.	USPAT
Į	16	23	5852633.URPN.	USPAT

	Hits	Search Text	DBs
17	23	5852633.URPN.	USPAT
18	351 4	attenuation and noise and mask	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb
19	17	attenua\$5 and (nois\$5 adj (power or level)) and (power adj mask) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb
20	O	(bisection adj split\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb
21	o	(bi?section adj split\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb
22	0	(section adj split\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb
23	8	(split\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb
2 4	2183	(allocat\$5 or assign\$5) with (power or energ\$5) with (bin\$2 or frequenc\$5) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb
25	2	(allocat\$5 or assign\$5) with (power or energ\$5) with (bin\$2 or frequenc\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb
26	3	(allocat\$5 or assign\$5 or splic\$5 or split\$5) with (power or energ\$5) with (bin\$2 with (bin\$2 with (error adj correct\$5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; IBM_tdb
27	3	(allocat§5 or assign§5 or splic§5 or split§5) with (power or energ§5) with (bin§2 or frequenc§5 or band§5 or ton§5) and (bin§2 with (error adj correct§5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; IBM_tdb
28	&	(allocat\$5 or assign\$5 or splic\$5 or split\$5) same ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$5 or ton\$5))and (bin\$2 with (error adj correct\$5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; IBM_tdb

•

	[U]#A	@ <u></u>	7.7
	Hits	Search Text	085
29	4,	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) same ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$5 or ton\$5)) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	4	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) same ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$5 or ton\$5)) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; IBM_tdb
31	5	(allocat§5 or assign§5 or splic§5 or split§5 or divid§5 or sectionaliz§5) same ((power or energ§5) same (bin§2 or frequenc§5 or band§5 or ton§5)) and (bin§2 with (error adj correct§5)) and @ad<20010126	uspat; us-Pgpub; Epo; Jpo; Derwent; IBM_tdb
32	5	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) same ((power or energ\$5) same (bin\$2 or frequenc\$5 or band\$10 or ton\$5)) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	uspat; us-Pgpub; Epo; Jpo; Derwent; IBM_TDB
33	41144	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) same ((power or energ\$5) same (bin\$2 or frequenc\$5 or band\$10 or ton\$5)) and @ad<20010126	uspat; us-pgpub; epo; Jpo; derwent; IBM_tob
34	13367	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) with ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$10 or ton\$5)) and @ad<20010126	uspat; us-pgpub; Epo; Jpo; Derwent; IBM_TDB
35	525	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) same ((power or energ\$5) same (bin\$2 or frequenc\$5 or band\$10 or ton\$5)) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	uspat; us-pgpub; epo; Jpo; derwent; IBM_tdb

,

	Hits	Search Text	DBs
36	216	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) with ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$10 or ton\$5)) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	6	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) with ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$10 or ton\$5)) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	EPO; JPO; DERWENT; IBM_TDB
38	195	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) with ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$10 or ton\$5)) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	USPAT
39	98	((allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) near2 (bin\$2 or frequenc\$5 or band\$10 or ton\$5)) with ((power or energ\$5)) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	USPAT
40	66	((assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) near2 (bin\$2 or frequenc\$5 or band\$10 or ton\$5)) with ((power or energ\$5)) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	USPAT
41	23	("Re31253" "4087654" "4131766" "4247940" "4464545" "4682358" "4800573" "4924492" "5052000" "5285474" "5317596" "5400322" "5461640" "5479447" "5495483" "5574974" "5619505" "5649299" "5715277" "5732353" "5777544" "5784407" "5852633").PN.	USPAT
42	0	(sequenti\$5 adj divid\$5 adj bandwidth\$5) and @ad<20010126	USPAT
43	0	(sequenti\$5 adj divid\$5 adj bandwidth\$5) and @ad<20010126	USPAT

•

				
	Hits	Soarch Toxt	DBs	
ৰ্থক	&& 7	((divid\$5 or separ\$5) adj bandwidth\$5) and @ad<20010126	USPAT	
45	2367	dmt and (hal\$5) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb	
46	146	dmt and dsi and (hai\$5) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb	
47	118	dmt and dsi and (half or halves) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb	
48	23	dmt and dsl and ((half or halves) with (bin\$2 or frequenc\$5 or band\$5 or ton\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
49	1	dmt and dsl and ((half or halves) with success§5) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb	
50	2	dmt and dsl and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb	
51	116	dmt and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	uspat; us-pgpub; epo; jpo; derwent; ibm_tdb	
52	0	dmt and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	epo; jpo; derwent; ibm_tdb	
53	105	dmt and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	USPAT	
54	2	dmt and dsl and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	USPAT	
55	2	dmt and (dsl or slic) and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	USPAT	
5	2	dmt and (dsl or slic) and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	uspat; us-Pgpub	
57	325	dmt and (dsl or slic) and @ad<20010126	uspat; us-pgpub	
58	29	dmt and (dsl or slic) and @ad<20010126	epo; jpo; Derwent; IBM_tdb	
59	4 3	dmt and (dsl or slic) and error and @ad<20010126	epo; jpo; Derwent; IBM_tdb	
60	213	dmt and (dsl or slic) and error and @ad<20010126	USPAT	

,

	Hits	Search Text	DBs
61	168	dmt and (dsl or slic) and error and (divi\$5) and @ad<20010126	USPAT
62	13	dmt and (dsl or slic) and (error with (divi\$5)) and @ad<20010126	USPAT
63	0	dl89 not (dmt and (dsl or slic) and error and (divi\$5) and @ad<20010126)	USPAT
64	45	(dmt and (dsl or slic) and error and @ad<20010126) not (dmt and (dsl or slic) and error and (divi\$5) and @ad<20010126)	USPAT
65	4	("4679227" "5301052" "5361254" "5400322").PN.	USPAT
66	33	5790550.URPN.	USPAT
67	11	("5608725" "5625651" "5673290" "5790550" "5812786" "6160820" "6219377" "6226322" "6259746" "6307839" "6324184").PN.	USPAT
68	20	5608725.URPN.	USPAT
69	0	6501791.URPN.	USPAT
70	11	("5608725" "5625651" "5673290" "5790550" "5812786" "6160820" "6219377" "6226322" "6259746" "6307839" "6324184").PN.	USPAT

....

.........

	Hits	Search Text	DBs
	 	("6285708"	
		"6418161"	
		"5822374"	
		"5852633"	
		"6058162"	
		"6263048"	
	İ	"6292559"	
		"6317495"	
		"6393052"	
		"6259746"	
		"6122247"	
		"6658051"	
		"6144696"	
		"6275522"	
-4	00	"6452907"	USPAT; US-PGPUB;
71	92	"6266348"	EPO; JPO;
		"6226331"	DERWENT; IBM_TD
		"6226331"	
		"6240141"	
		"6516049" "6546004"	
		"6646994"	
		"6268815" "6487241"	
		"5012519"	
		"6351185"	
		"6324268"	
		"5930340"	
		"5889856"	
		"4963036"	
		"5822693"	

	Hits	Search Text	DBs
72	47	("6285708" "6418161" "5822374" "5852633" "6058162" "6263048" "6292559" "6317495" "6393052" "6259746" "6122247" "6658051" "6144696" "6275522" "6452907" "6266348" "6226331" "6240141" "6516049" "6646994" "6268815" "6487241" "5012519" "6351185" "6324268" "5930340" "5889856" "4963036"	USPAT
73	0	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and bandwidth and dsl and (power with (split\$5 or divi\$5 or hal\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	7	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and dsl and ((power\$2 or bandwidth\$2) with (split\$5 or divi\$5 or hal\$5)) and @ad<20010126	EPO; JPO;
75	305	dsl and ((power\$2 or bandwidth\$2) with (split\$5 or divi\$5 or hal\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
76	151	dsl and ((power\$2 or bandwidth\$2) with (((split\$5 or divi\$5) with ("2" or two)) or hal\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
77	2	dsl and (((power\$2 or bandwidth\$2) with (((split\$5 or divi\$5) with ("2" or two))) or hal\$5)).ti. and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
78	32	dsl and (((power\$2 or bandwidth\$2) with (((split\$5 or divi\$5) with ("2" or two))) or hal\$5)).ab. and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
79	0	09/619866.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
80	0	09619866.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
81	4	619866.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
82	2	527305.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
83	2	6356569.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
84	2	6144696.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
85	2	6134274.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
86	3	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and bandwidth and power and dsl and split\$5 and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
87	75	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240, 375/222).ccls. and bandwidth and power and dsl and split\$5 and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
88	2	6400773.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
89	211	modem and power adj1 allocat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
90	75	(modem and power adj1 allocat\$3) and split\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
91	1	(modem and power adj1 allocat\$3) and bisection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
92	1	(modem and power adj1 allocat\$3) and sectioning	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
93	109	(modem and power adj1 allocat\$3) and section\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
94	50	(modem and power adj1 allocat\$3) and section\$5 and split\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
95	0	modem and ((power adj1 allocat\$3) with (section\$5 and split\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

· · · · ·